

Polyconic projection. 1927 North American datum 10,000-foot grid based on Ohio coordinate system, south zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Unlabeled wells are gas wells

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked Land lines based on the Ohio River Base. Dotted land lines established by private subdivision of the Ohio Company Purchase

UTM GRID AND 1975 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CONTOUR INTERVAL 20 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

OHIO SHADE, OHIO USCS NE/4 POMEROY 15' QUADRANGLE QUADRANGLE LOCATION N 3907.5-W 8200/7.5 Revisions shown in purple compiled in cooperation with Historical File State of Ohio agencies from aerial photographs taken Topographic Division 1960 1975. This information not field checked PHOTOREVISED 1975 AMS 4562 II NE-SERIES V852

U.S. Route

State Route

2800

SEP 2 3 1977