



Mapped, edited, and published by the Geological Survey  
Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs  
taken 1957 and 1959-60. Field checked 1961

Polycyclic projection. 10,000-foot grid ticks based on Ohio coordinate  
system, south zone. 1000-meter Universal Transverse Mercator  
grid ticks, zone 16, shown in blue. 1927 North American Datum  
To place on the predicted North American Datum 1983 move the  
projection lines 2 meters south and 6 meters west as shown by  
dashed corner ticks


Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked

Red tint indicates areas in which only landmark buildings are shown  
Land lines based on the Great Miami River Base  
Areas covered by dashed light-blue pattern are subject to  
controlled inundation to 818 feet by Taylorsville Dam



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Revisions shown in purple and woodland compiled in cooperation  
with State of Ohio agencies from aerial photographs taken  
1980 and other sources. This information not field  
checked. Map edited 1982  
Purple tint indicates extension of urban areas

TROY, OHIO

N 4000—W 8407.5/7.5  
PHOTOINSPECTED 1984  
1961  
PHOTOREVISED 1982  
DMA 4164 II SW—SERIES V 852

(WEST MICH.)  
163 T. 5 N.

(NEW CARLISLE)  
116 T. 5 N.