

Polyconic projection. 1927 North American datum 10,000-foot grid based on Ohio coordinate system, south zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked UTM GRID AND 1975 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

3½° 62 MILS 0°49' 15 MILS

Land lines based on the Ohio River base Dotted land lines established by private subdivision of the Ohio Company Purchase

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CONTOUR INTERVAL 20 FEET

NATIONAL GEODETIC VERTICAL DATUM OF 1929

Medium-duty Unimproved airt =: U.S. Route State Route OHIO SEP 2 2 1977 VINTON, OHIO USGS QUADRANGLE LOCATION 3350 Historical File N3852.5-W8215/7.5 Revisions shown in purple compiled in cooperation with Topographic Division State of Ohio agencies from aerial photographs taken 1961 1975. This information not field checked PHOTOREVISED 1975 AMS 4561 IV NE-SERIES V852