





Produced by the United States Geological Survey  
Topography compiled 1935. Planimetry derived from imagery taken 1994. Public Land Survey System and survey control current as of 1965.  
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17 2 500-meter ticks: Ohio Coordinate System of 1983 (north zone).  
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.  
Landmark buildings verified 1965.  
Land lines north of Fulton Line based on the Michigan Meridian.  
Land lines south of Fulton Line based on the First Principal Meridian.



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048




1	2	3
4	5	6
7	8	

1 Toledo  
2 Oregon  
3 Reno Beach  
4 Rowland  
5 Geneva  
6 Dunbridge  
7 Pemberville  
8 Elmore

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

WALBRIDGE, OH  
1994

NIMA 4367 III SW-SERIES V852



ISSN 0-607-88265-4  
9 780607 882658