



MAPPED, EDITED, AND PUBLISHED BY THE GEOLOGICAL SURVEY
Control by USGS, USC&GS, USCE, Columbus Geodetic Survey, and
City of Columbus.
Compiled in 1965 from U. S. Geological Survey 1:24 000-scale maps
surveyed 1954-64, from aerial photographs taken 1953-60, and by
reference to Army Map Service 1:250,000-scale map, dated 1944.
Field checked 1966. Supersedes Army Map Service map dated 1944.
Universal Transverse Mercator projection. 1927 North American datum.
100,000-foot grids based on Ohio coordinate system, north and south
zones.
10,000-meter Universal Transverse Mercator grid ticks, zone 17, shown
in blue.

SECTIONIZED TOWNSHIP									
6	5	4	3	2	1				
7	8	9	10	11	12				
18	17	16	15	14	13				
19	20	21	22	23	24				
30	29	28	27	26	25				
31	32	33	34	35	36				

TOWNSHIP OR RANGE LINE
LAND GRANT BOUNDARY

SCALE 1:250,000
0 5 10 15 20 25 30 STATUTE MILES
0 5 10 15 20 25 30 KILOMETERS
CONTOUR INTERVAL 100 FEET
DOTTED LINES REPRESENT 50-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
1967 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 1°30' WESTERLY FOR THE CENTER OF THE WEST EDGE
3°00' WESTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°04' WESTERLY.
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

INDEX TO ADJOINING SHEETS			
42°	86°	80°	42°
FT. WAYNE NK 16-9	MARION NK 17-10	CANTON NK 17-11	CLEVELAND NK 17-8
MUNCIE NK 16-12			
CHIONNATI NK 16-3	COLUMBUS NK 17-1	CLARKSBURG NK 17-4	
39°	86°	80°	39°

USGS
Historical File
Topographic Division
U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION
ROAD CLASSIFICATION
Heavy-duty Road
Medium-duty Road
Interstate Route
U.S. Route
State Route
Light-duty Road
Road interchange
MARION, OHIO
N4000—W8200/60X120
NOV 25 1968
4735