




Produced by the United States Geological Survey  
Control by USGS and NOS/NOAA  
Topography by photogrammetric methods from aerial photographs taken 1959-60. Revised from aerial photographs taken 1984. Field checked 1986. Map edited 1987.  
Projection and 10,000-foot grid ticks: Oklahoma coordinate system, south zone (Lambert conformal conic).  
1000-meter Universal Transverse Mercator grid, zone 14  
1927 North American Datum  
To place on the predicted North American Datum 1983, move the projection lines 5 meters south and 32 meters east as shown by dashed corner ticks.  
Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked.



CONTOUR INTERVAL 10 FEET  
SUPPLEMENTARY CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
AND OKLAHOMA GEOLOGICAL SURVEY, NORMAN, OKLAHOMA 73069  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S. Regional  
Depository Copy  
DO NOT DISCARD



A.H. ROBINSON  
MAP LIBRARY  
APR 22 1988  
University of Wisconsin  
Madison

ROAD CLASSIFICATION  
Primary highway, hard surface  
Secondary highway, hard surface  
Interstate Route  
U.S. Route  
State Route  
Light-duty road, hard or improved surface  
Unimproved road

CHATTANOOGA SW, OKLA.  
SW/4 CHATTANOOGA 15' QUADRANGLE  
34098-C6-TF-024

1987

DMA 6252 1 SW-SERIES V883