


Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS
 Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1969
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Oklahoma coordinate system, south zone
 1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue
 To place on the predicted North American Datum 1983
 move the projection lines 6 meters south and
 22 meters east as shown by dashed corner ticks
 There may be private inholdings within the boundaries of
 the National or State reservations shown on this map
 Map photosinspected 1977
 No major culture or drainage changes observed



SCALE 1:24 000
 1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
 1 0.5 1 1.5 2 KILOMETER
 CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 10-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 AND BY THE OKLAHOMA GEOLOGICAL SURVEY, NORMAN, OKLAHOMA 73069
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST
 RECEIVED MAY 2 & 2003 HISTORICAL MAP ARCHIVES

ROAD CLASSIFICATION
 Primary highway, all weather, hard surface
 Secondary highway, all weather, hard surface
 Light-duty road, all weather, improved surface
 Unimproved road, fair or dry weather
 State Route

QUINTON SOUTH, OKLA.
 N3500-W9515/7.5
 1969
 PHOTONSPECTED 1977
 AMS 6954 III SE-SERIES V883

3 1818 00417549 1