



Topography by C.A. Stonesifer, E.P. Davis, F.H. Purdy, and U.S. Forest Service. Surveyed in 1928-1929.

SCALE 1:25000

5000 0 5000 10000 15000 20000 25000 30000 35000 FEET

1 0 1 2 3 4 5 6 7 8 9 KILOMETERS

CONTOUR INTERVAL 100 FEET
DATUM IS MEAN SEA LEVEL

FOR SALE BY U.S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D.C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

THREE SISTERS, OREG.
N4400-W12130/30

1929

Polyconic projection, 1927 North American datum
20000 foot grids based on Oregon (South) and
Oregon (North) rectangular coordinate system

ROAD CLASSIFICATION

Heavy-duty ——— 4 LANE 6 LANE Light-duty ———
Medium-duty - - - 4 LANE 6 LANE Unimproved dirt =====

U. S. Route State Route

APPROXIMATE MEAN DECLINATION, 1929

21°

MAGNETIC NORTH

TRUE NORTH