



Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and USCE

Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1962


Selected hydrographic data compiled from USC&GS Chart 6161 (1962)

This information is not intended for navigational purposes


Polyconic projection. 1927 North American datum, 10,000-foot grids based on Oregon coordinate system, north zone, and Washington coordinate system, south zone

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Fine red dashed lines indicate selected fence lines



APPROXIMATE MEAN DECLINATION, 1962



CONTOUR INTERVAL 10 FEET

DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER
GRADIENT ESTABLISHED BY CORPS OF ENGINEERS

USGS
Historical File
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION

- Heavy-duty
- Medium-duty
- Light-duty
- Unimproved dirt
- U.S. Route
- State Route

U.S.G.S.

BOARDMAN, OREG.—WASH.
N4545—W11937.5/7.5

1962

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

3675

JUL 16 1963