



Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs taken 1960 and 1962. Field checked 1964.
Polyconic projection. 1927 North American Datum 10,000-foot grid based on Oregon coordinate system, south zone.
1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue.
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks.
Fine red dashed lines indicate selected fence lines.
There may be private inholdings within the boundaries of the National or State reservations shown on this map.

SCALE 1:24 000
1 000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER

CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Medium-duty — Light-duty
Unimproved dirt —
State Route

UTM GRID AND 1980 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
1°38' 29 MILS
18 1/2° 329 MILS

REVISIONS SHOWN IN PURPLE COMPILED FROM AERIAL PHOTOGRAPHS TAKEN 1979 AND OTHER SOURCE DATA. THIS INFORMATION NOT FIELD CHECKED. MAP EDITED 1980.

1964
PHOTOREVISED 1980
DMA 1868 II NE-SERIES V892

USGS AND HISTORICAL MAP ARCHIVES
FEB 05 1992
REC'D FILE COPY