



Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and State of Oregon


Topography by photogrammetric methods from aerial photographs taken 1964. Field checked 1966

Polyconic projection. 1927 North American datum


10,000-foot grid based on Oregon coordinate system, north zone

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Fine red dashed lines indicate selected fence lines



UTM GRID AND 1966 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 10 FEET DATUM IS MEAN SEA LEVEL



ROAD CLASSIFICATION: Heavy-duty (thick red line), Medium-duty (red line), Light-duty (thin red line), Unimproved dirt (dashed line), U.S. Route (red line with shield symbol)

HOLDMAN SE, OREG. N4545—W11845/7.5

1966

AMS 2275 IV SE—SERIES V892

THIS MAP COMPLIES WITH MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

RECEIVED SEP 3 0 2002

U.S. GEOLOGICAL SURVEY HISTORICAL MAP ARCHIVES

