



V502
Edition 1-AMS (First Printing, 2-58)
Prepared by the Army Map Service (BEART), Corps of Engineers,
U. S. Army, Washington, D. C. Compiled in 1955 by photogrammetric
methods. Horizontal and vertical control by USGS, USFS, USC&GS
and CE. Aerial photography 1953. Photography field annotated
1955.

LEGEND

ROAD DATA 1955
Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000	LOS ANGELES
100,000 to 500,000	OMAHA
25,000 to 100,000	GALVESTON
5,000 to 25,000	Laramie
1,000 to 5,000	Grand Coulee
Less than 1,000	Sun Valley

ROADS

Hard surface, heavy duty	3 LANES 4 LANES
More than two lanes wide	3 LANES 4 LANES
Two lanes wide; Federal route marker	3 LANES 4 LANES
Hard surface, medium duty	3 LANES 4 LANES
More than two lanes wide	3 LANES 4 LANES
Two lanes wide; State route marker	3 LANES 4 LANES
Improved light duty	3 LANES 4 LANES
Unimproved dirt	3 LANES 4 LANES
Trail	3 LANES 4 LANES

RAILROADS

Single track	Double or Multiple
Standard gauge	Standard gauge
Narrow gauge	Narrow gauge

BOUNDARIES

International	State	County	Park or reservation
---------------	-------	--------	---------------------

Landmarks: School; Church; Other

Other symbols: Landing area, Spot elevation in feet, Marsh or swamp, Dry lake, Intermittent or dry stream, Woods/brushwood, Power line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL MERCATOR GRID, ZONE 11
THE LAST FOUR DIGITS OF THE GRID NUMBERS ARE OMITTED

1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 30°00' EASTERLY FOR THE CENTER OF THE WEST
EDGE TO 19°30' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°03' WESTERLY.

USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO COMMANDING
OFFICER, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.

LOCATION DIAGRAM FOR NK 11-1

NL 10-8	NL 10-9	NL 10-10	NL 10-11	NL 10-12
NL 11-7	NL 11-8	NL 11-9	NL 11-10	NL 11-11
NL 11-12	NL 11-13	NL 11-14	NL 11-15	NL 11-16
NL 11-17	NL 11-18	NL 11-19	NL 11-20	NL 11-21

GRID ZONE DESIGNATION: 11T

100,000 M. SQUARE IDENTIFICATION: XU LU MU

SAMPLE POINT - RANCH: 480

U. S. GEOLOGICAL SURVEY WASHINGTON

MAR 27 1958

LIBRARY

UNITED STATES TOPOGRAPHIC ENGINEERS

PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 2-58 . 779540

GRID ZONE DESIGNATION: 11T

100,000 M. SQUARE IDENTIFICATION: XU LU MU

SAMPLE POINT - RANCH: 480

U. S. GEOLOGICAL SURVEY WASHINGTON

MAR 27 1958

LIBRARY

UNITED STATES TOPOGRAPHIC ENGINEERS

PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 2-58 . 779540

SERIES V502
SHEET NK 11-1
EDITION 1-AMS

United States. Topo. 1:250,000. Burns, Oregon. sheet Burns, cop. 1.