



V502
Edition 1-AMS (First Printing, 8-57)
Prepared by the Army Map Service (BESX), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1955 by photogrammetric methods. Horizontal and vertical control by U.S.G.S., U.S.C.A.S., U.S.F.S. and C.E. Aerial photography, 1953. Photography field annotated 1955.

LEGEND
Figures in red denote approximate distances in miles between stars

POPULATED PLACES
Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

ROADS
Hard surface, heavy duty
More than two lanes wide
Two lanes wide; Federal route marker
Hard surface, medium duty
More than two lanes wide
Two lanes wide; State route marker
Improved light duty
Unimproved dirt
Trail

RAILROADS
Single track
Double or Multiple track

BOUNDARIES
International
State
County
Park or reservation

LANDMARKS
School; Church; Other
Horizontal control point; Windmill
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

Other symbols:
Standard gauge
Narrow gauge
Landplane airport
Landing area
Seaplane airport
Seaplane anchorage
Woods-brushwood

Scale 1:250,000
0 5 10 15 20 25 30 Statute Miles
0 5 10 15 20 25 30 Kilometers
0 5 10 15 20 25 Nautical Miles

**CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS**

TRANSVERSE MERCATOR PROJECTION

BLUE NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 10 WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

1985 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 20°W EASTERLY FOR THE CENTER OF THE WEST EDGE TO 20°W EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 1" W. WESTERLY.

USERS NOTING ERRORS OR OMISSIONS ON THIS MAP ARE URGED TO MARK HEREON AND FORWARD DIRECTLY TO CORRECTING OFFICE, ARMY MAP SERVICE, WASHINGTON, D. C. MAPS SO FORWARDED WILL BE RETURNED OR REPLACED IF DESIRED.

LOCATION DIAGRAM FOR NK 10-3

NK 10-1	NK 10-2	NK 10-3	NK 10-4	NK 10-5	NK 10-6	NK 10-7	NK 10-8	NK 10-9	NK 10-10	NK 10-11	NK 10-12
122°00'	122°30'	123°00'	123°30'	124°00'	124°30'	125°00'	125°30'	126°00'	126°30'	127°00'	127°30'
43°00'	43°30'	44°00'	44°30'	45°00'	45°30'	46°00'	46°30'	47°00'	47°30'	48°00'	48°30'

GRID ZONE DESIGNATION:
10T
100,000 M SQUARE IDENTIFICATION

SAMPLE POINT: BEAL

- Read bottom identifying 100,000 meter square in which point lies.
- Locate first vertical grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
- Locate first horizontal grid line BELOW point and read LARGE figure labeling the line either in the top or right margin, or on the line itself.
- Estimate both from grid line to point.

COORDINATES:
Easting: 670000
Northing: 4779200

PRINTED BY ARMY MAP SERVICE, CORPS OF ENGINEERS, 9-57, 779200 SX