



Prepared by the Army Map Service (BEP), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1956 by photogrammetric methods and from Oregon, 1:48,000 and 1:62,500, USGS, 1943-1952. Planimetric detail revised by photogrammetric methods. Horizontal and vertical control by USGS, USCGS, and USFS. Photography field annotated 1955. 100,000-foot grid based on Oregon coordinate system, south zone. 10,000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue.

LEGEND

ROAD DATA 1955
Figures in red denote approximate distances in miles between stars

POPULATED PLACES:
Over 500,000
100,000 to 500,000
25,000 to 100,000
5,000 to 25,000
1,000 to 5,000
Less than 1,000

RAILROADS
Standard gauge
Narrow gauge
Bridges
Interlocking
Switching
Park or reservation

Landmarks: School; Church; Other
Spot elevation in feet
Marsh or swamp
Intermittent or dry stream
Power line

BOUNDARIES
International
State
County
Park or reservation

Woods: brushwood

LOS ANGELES
OMAHA
GALVESTON
Laramie
Grand Coulee
Sun Valley

Scale 1:250,000
0 5 10 15 20 Statute Miles
0 5 10 15 20 Kilometers
0 5 10 15 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS

TRANSVERSE MERCATOR PROJECTION

1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 30°1' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 20°0' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°00' WESTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.

LOCATION DIAGRAM FOR NK 10-5

RELIABILITY DIAGRAM

USGS
Historical File
Topographic Division

TOWNSHIP OR RANGE LINE
LAND GRANT BOUNDARY

SECTIONIZED TOWNSHIP

| | | | | | |
|----|----|----|----|----|----|
| 6 | 5 | 4 | 3 | 2 | 1 |
| 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 |
| 31 | 32 | 33 | 34 | 35 | 36 |

MEDFORD, OREGON; CALIFORNIA