



Mapped, edited, and published by the Geological Survey
Control by Corps of Engineers, USGS, and USC&GS
Topography by plane-table methods, 1908
Polyconic projection. 1927 North American datum
10,000-foot grids based on Oregon coordinate system,
North and South zones
Red tint indicates area in which only
landmark buildings are shown
Culture revised in 1946
1000-meter Universal Transverse Mercator grid
ticks, zone 10, shown in blue



CONTOUR INTERVAL 5 FEET AND 25 FEET
CHANGING ON THE 450 FOOT CONTOUR
DATUM IS MEAN SEA LEVEL



Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
○ Interstate Route □ U.S. Route ○ State Route

USGS
Historical File
Topographic Division

EUGENE, OREG
N4400-W12300/15
1946

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

(MONROE)
44°15'
489000m N
220000
FEET (NORTH)
T. 16 S.
10'
T. 17 S.
5'
870000
FEET (SOUTH)
44°00'

(BROWNSVILLE)
123°00'
950000
FEET (SOUTH)
T. 16 S.
10'
T. 17 S.
5'
140000
FEET (NORTH)
44°00'

NOV 14 1963

5830
HISTORICAL