

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, USCE, and State of Oregon

Compiled in 1962 from 1:24 000-scale maps dated 1961

Selected hydrographic data compiled from USC&GS Charts 6171 (1958), 6172 (1958) and 6155 (1959)

This information is not intended for navigational purposes

Polycyclic projection. 1927 North American datum

10,000-foot grid based on Oregon coordinate system, north zone

1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue

Red tint indicates areas in which only landmark buildings are shown

SCALE 1:62 500

0 1 2 3 4 MILES  
0 3000 6000 9000 12000 15000 18000 21000 FEET  
0 1 2 3 4 KILOMETERS

CONTOUR INTERVAL 40 FEET

DOTTED LINES REPRESENT 20-FOOT CONTOURS

DATUM IS MEAN SEA LEVEL

DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER BELOW LOCKS

AND IS 50 FEET ABOVE MEAN SEA LEVEL ABOVE LOCKS

(COLUMBIA RIVER AND WILLAMETTE RIVER DATA)

SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER

THE MEAN RANGE OF TIDE IS APPROXIMATELY 2 FEET

THIS MAP COMPLES WITH NATIONAL MAP ACCURACY STANDARDS


FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———

○ Interstate Route □ U.S. Route ○ State Route



OREGON  
QUADRANGLE LOCATION

This area also covered by 7.5-minute, 1:24 000-scale maps: Gladstone 1961, Lake Oswego 1961, Canby 1961, and Oregon City 1961

USGS OREGON CITY, OREG. TOPOGRAPHIC DIVISION

N4515—W12230/15

1961

CALTON

U.S.G.S.

COPY

JUN 12 1963

JUN 12 1963

3975