


Prepared under the direction of the Chief of Engineers, U. S. Army, 1936.  
Control by U. S. Coast and Geodetic and U. S. Geological Survey.  
Surveyed by U. S. Geological Survey, 1921. In cooperation with the State of Oregon.  
Planimetric detail revised as a Federal W. P. A. Project, 1938 and 1939  
under the supervision of the 29th Engineer, U. S. Army.  
Polyconic Projection, North American Datum 1927.



Contour interval 25 feet  
Datum is mean sea level (1929 Adj.)

10,000-FOOT GRID TICKS, OREGON PLANE COORDINATE SYSTEM, NORTH ZONE, SHOWN IN BLACK  
1000-METER GRID TICKS, UNIVERSAL TRANSVERSE MERCATOR SYSTEM, ZONE 10, SHOWN IN BLUE

REPRINTED FROM MILITARY EDITION FOR CIVIL USE  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO, OR WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROUTES USUALLY TRAVELED  
HARD IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
U. S. ROUTE STATE ROUTE

TUALATIN, OREG.  
N4515-W12245/15  
1939

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

FEB -3 1958

1410