

U.S.G.S.
FILE COPY
Inspection and Editing



PUNTSUTAWNEY 13.5 MI.
MC GEE'S MILLS 0.5 MI.

LEWISBURG 2.5 MI.

2035000 YARDS

Topography by Frank Sutton, J.D. Forster and J.B. Daingerfield
Surveyed in 1902
Partial revision in 1939 by R.F. Hamke

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty 2 LANE LANE Improved dirt
Medium-duty 2 LANE LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

HASTINGS 7.4 MI.
ALTOONA 30 MI.
Scale 82500
4 Miles
3000 500 0 1000 2000 3000 4000 5000 6000 7000 Yards
1000 0 1000 2000 3000 4000 5000 6000 7000 Feet
1 5 0 1 2 3 4 5 Kilometers

Contour interval 20 feet
Datum is mean sea level

FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division

U.S.G.S.
FILE COPY
Inspection and Editing

Polyconic projection. North American datum
5000 yard grid based on U.S. zone system, B
10000 foot grid based on Pennsylvania (North)
rectangular coordinate system

CURWENSVILLE, PA.
1939

N4045-W7830/15