



Mapped by the Army Map Service
Edited and published by the Geological Survey
Control by USGS and USC&GS
Topography by planetable surveys 1923 with
revision from aerial photographs in 1943
Culture revised by the Geological Survey 1957
Hydrography from USC&GS charts 269 (1956), 1210 (1957),
1211 (1954), and supplementary information
Polyconic projection. 1927 North American datum
10,000-foot grid based on Rhode Island coordinate system
1000-meter Universal Transverse Mercator grid ticks,
zone 19, shown in blue



ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -



CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHOULDER LINE REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 2.6 FEET IN GREAT SALT POND
AND 2.9 FEET IN RHODE ISLAND SOUND
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



USGS
Historical File
Topographic Division

BLOCK ISLAND, R. I.
NE/4 BLOCK ISLAND 15' QUADRANGLE
N4107.5—W7130/7.5
1957

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION