



U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey


Control by USC&GS, USGS, and TVA

Topography by multiplex methods from aerial  
photographs taken 1946. Field examination by TVA, 1952

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Tennessee rectangular  
coordinate system


1000 meter Universal Transverse Mercator Grid ticks,  
Zone 16, shown in blue.

336°  
TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION 1955



CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
HISTORICAL FILE  
TOPOGRAPHIC DIVISION



ROAD CLASSIFICATION (TVA 41-NE)  
HARD SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty 4 LANE 16 LANE Improved dirt  
Medium-duty 4 LANE 16 LANE Unimproved dirt  
Loose-surface, graded, or narrow hard surface  
U. S. Route State Route

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION  
BEAVERDAM SPRINGS, TENN.  
N3537.5-W8730.7/5  
1952