



Mapped, edited, and published by the Geological Survey  
Control by USGS, NOS/NOAA and Tennessee Geodetic Survey  
Topography by photogrammetric methods from aerial photographs  
taken 1955. Field checked 1966

Polyconic projection  
10,000-foot grid based on Tennessee coordinate system  
1000-meter Universal Transverse Mercator grid ticks, zone 16,  
shown in blue. 1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 5 meters south and  
6 meters east as shown by dashed corner ticks

Fine red dashed lines indicate selected fence and field lines where  
generally visible on aerial photographs. This information is unchecked

Revisions shown in purple compiled from aerial photographs  
taken 1975 and other source data. This information not  
field checked. Map edited 1981



SCALE 1:24,000  
CONTOUR INTERVAL 10 FEET  
DOTTED LINES REPRESENT 5-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
State Route ○

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



USGS  
HISTORICAL FILE  
NATIONAL MAPPING DIVISION

CLAYTON, TENN.  
N3622.5—W8907.5/7.5  
1966  
PHOTOREVISED 1981  
DMA 3156 I NW-SERIES V841

SEP 28 1981

2150