




Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by US&GS, USGS, and TVA
Topography by USGS and TVA by multiplex and planetable methods.
Aerial photographs taken 1947. Field examination by TVA, 1949
Polyconic projection. 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system
1000-meter Universal Transverse Mercator grid, zone 16
-378- Indicates Kentucky Lake Easement Boundary
To place on the predicted North American Datum 1983,
move the projection lines 6 meters south and
3 meters east as shown by dashed corner ticks



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22082
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219
AND U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA 37401 OR KNOXVILLE, TENNESSEE 37902
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty ——— 4 LANE LANE Improved dirt ———
Medium-duty ——— 2 LANE LANE Unimproved dirt ———
Loose-surface, graded, or narrow hard-surface ———
U. S. Route (7) State Route (8)

DANIELS LANDING, TENN.
35087-G8-TF-024
1949
DMA 3485 IV SW-SERIES V84 I