



Basic Control by USCGS, USGS, and TVA  
Topography by Geological Survey from aerial  
photographs by stereophotogrammetric methods  
Field examination by Tennessee Valley Authority, 1942

SCALE 1:24,000  
1 000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER

Contour interval 20 feet  
Occasional 10 foot contours shown by broken lines  
Datum is mean sea level

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242.  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902.  
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Reproduced 1962 USCOMM CGS-DCR-3162  
Polyconic projection, 1927 North American datum  
10,000 foot grid based on Tennessee  
rectangular coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
Zone 16, shown in blue.

ROUTES USUALLY TRAVELED  
HARD IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
STATE ROUTE  
U.S. ROUTE

DECATUR, TENN.  
118-SE  
N3530-W8445/7.5  
1942  
AMS 4055 III SE-SERIES 841

USGS  
Historical File  
Topographic Division

AUG 2 1 1972

2195