



Basic Control by USCG&S, USGS, and TVA
Topography by Geological Survey from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority, 1943

APPROXIMATE MEAN
DECLINATION, 1944

Scale 21,000
0 1 2 Miles
0 1 2 Kilometers
1000 Feet

Contour interval 20 feet
Datum is mean sea level

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION
FILE COPY
TOPOGRAPHIC DIVISION

Reproduced 1960 USCOMM D.C. R-1851 727,000m.E.
Polyconic projection, 1927 North American datum
10,000 foot grid based on Tennessee
rectangular coordinate system
1000-meter Universal Transverse Mercator
grid ticks, Zone 16, shown in blue
ROUTES USUALLY TRAVELED
HARD IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U.S. ROUTE STATE ROUTE

ETOWAH, TENN.
125-SE
N3515-W8430/7.5
1943

(McFarland 125-NW)
DEC 27 1960

From Coast & Geod. Surv. 985