




Mapped, edited, and published by the Geological Survey  
Control by USGS, NOS/NOAA, and USCE  
Planimetry in part by photogrammetric methods from aerial  
photographs taken 1951. Topography by planimetric surveys 1952  
Polyconic projection. 10,000-foot grid ticks based on  
Tennessee coordinate system. 1000-meter Universal  
Transverse Mercator grid, zone 16  
1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 7 meters south and  
6 meters east as shown by dashed corner ticks  
Revisions shown in purple and woodland compiled from aerial  
photographs taken 1980 and other sources. This information  
not field checked. Map edited 1983



CONTOUR INTERVAL 10 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROAD CLASSIFICATION

Heavy-duty	4 LANE 16 LANE	Light-duty
Medium-duty	4 LANE 16 LANE	Unimproved dirt
U.S. Route		State Route

LAMBERT, TENN.  
35089-C4-TF-024

1952  
PHOTOREVISED 1983  
DMA 3154 IV SW-SERIES V841

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
AND TENNESSEE DEPARTMENT OF CONSERVATION, DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

RETURN TO:  
USGS AND HISTORICAL MAP ARCHIVES

JUL 9 1984