



Control by USC&GS, USGS, USED, and TVA
Topography by USGS and TVA from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority, 1947

2 1/4°
TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1947

Scale 24000
0 1 2 Miles
0 5000 10000 Feet
0 5 10 Kilometers

Contour interval 20 feet
Occasional 10 foot contours shown by broken lines
Datum is mean sea level
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

HARD, IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U. S. ROUTE STATE ROUTE

LOIS, TENN.
80-NE
N3507.5-W8615/7.5
1947

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

SEP 24 1964

3887000m N
35°07'30"
86°15'

Reproduced 1964 USCGMM CGS DC R-4733
Polyconic projection, 1927 North American datum
10,000 foot grid based on Tennessee
rectangular coordinate system
1000-meter Universal Transverse Mercator
grid ticks, Zone 16, shown in blue
POLES USUALLY TRAVELED

985-M
From Court Survey