

Topography by USGS and TVA by multiplex methods from aerial photographs taken 1946. Field examination by TVA, 1951

APPROXIMATE MEAN DECLINATION 1951


Polyconic projection. 1927 North American datum 10,000-foot grid based on Tennessee rectangular coordinate system

1000 0 3000 4000 5000 1000 2000 6000 7000 FEET 1 KILOMETER

> CONTOUR INTERVAL 20 FEET DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C. TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



TOPOGRAPHIC DIVISION MOL KENTUCKY TENNESSEE N.C. MISS ALA GA \s.(QUADRANGLE LOCATION

 Heavy-duty______
 4 LANE 16 LANE
 Improved dirt_____

 Medium-duty_____
 4 LANE 16 LANE
 Unimproved dirt_____

Loose-surface, graded, or narrow hard-surface _ _ _ 🔞 U. S. Route 🛛 🔞 State Route

> NEGRO HOLLOW, TENN. N3515-W8737.5/7.5 1951

AUG 3 1954

2225