



Control by USGS, USGS, USED, WPA, and TVA  
Topography by USGS and TVA from aerial  
photographs by stereophotogrammetric methods  
Field examination by Tennessee Valley Authority, 1947

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION, 1947

Scale 24000  
0 1 2 Miles  
0 1 2 Kilometers  
10000 Feet

Contour interval 20 feet  
Occasional 10 foot contours shown by broken lines  
Datum is mean sea level

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
HISTORICAL FILE  
TOPOGRAPHIC DIVISION

Reproduced 1962-USCOMM CGS DC R 3230  
POLYCONIC PROJECTION, 1927 NORTH AMERICAN DATUM  
10,000 FOOT GRID BASED ON TENNESSEE  
RECTANGULAR COORDINATE SYSTEM  
1000-METER UNIVERSAL TRANSVERSE MERCATOR  
GRID TICKS, ZONE 16, SHOWN IN BLUE  
ROUTES USUALLY TRAVELED  
HARD, IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
U. S. ROUTE STATE ROUTE

NORMANDY, TENN.  
79-NE

N3522.5-W8615.7/5  
1947

1000  
from cont survey