




Produced by the United States Geological Survey Topography compiled 1965. Planimetry derived from imagery taken 1977 and other sources. Survey control current as of 1965 North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 16 10 000-foot ticks: Tennessee Coordinate System of 1983 North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geographic Survey NADCON software. There may be private inholdings within the boundaries of the National or State reservations shown on the map. Landmark buildings verified in 1965.



CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 AND TENNESSEE DEPARTMENT OF CONSERVATION, DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37243



QUADRANGLE LOCATION

ROAD CLASSIFICATION Primary highway hard surface, Secondary highway hard surface, Light-duty road, hard or improved surface, Unimproved road, Interstate Route, U.S. Route, State Route

Table with 8 columns and 2 rows showing adjacent quadrangle names and numbers.

NORTHEAST MEMPHIS, TN 1997

NIMA 3054 III NW-SERIES V841

RECEIVED FEB 20 2000

USGS NWID HISTORICAL MAP ARCHIVES

