



Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey


Control by USC&GS, USGS, and TVA

Topography by USGS and TVA by multiplex methods from aerial  
photographs taken 1946. Field examination by TVA, 1949

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Tennessee rectangular  
coordinate system

—375— Indicates Kentucky Lake Easement Boundary

41°  
TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION 1949



CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE  
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
HISTORICAL FILE  
TOPOGRAPHIC DIVISION

U.S.G.S.  
FILE COPY  
Inspection and Editing.

ROAD CLASSIFICATION  
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
Heavy-duty ———— LANE LANE Improved dirt ————  
Medium-duty ———— LANE LANE Unimproved dirt ————  
Loose-surface, graded, or narrow hard-surface ————  
④ U. S. Route ⑤ State Route

OLIVEHILL, TENN.  
N3515-W8800/7.5

1949

OCT 27 1952

2210