



Maped and edited by Tennessee Valley Authority  
 Published by the Geological Survey  
 Basic control by US&GS, USGS, and TVA  
 Topography by USGS and TVA by multi-plex and planetable methods. Aerial photographs taken 1946 and 1962  
 Field examination by TVA, 1949  
 Polyconic projection, 1927 North American datum  
 10,000-foot grid based on Tennessee rectangular coordinate system  
 -28- Indicates Kentucky Lake Easement Boundary

TRUE NORTH  
 MAGNETIC NORTH  
 APPROXIMATE MEAN DECLINATION 1949

SCALE 1:24 000  
 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
 1 5 0 1 KILOMETER

CONTOUR INTERVAL 20 FEET  
 DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092, TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219, AND U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902  
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION  
 In developed areas, only through roads are classified  
 HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS  
 Heavy-duty **2 LANE** LANE Improved dirt  
 Medium-duty **2 LANE** LANE Unimproved dirt  
 Loose-surface, graded, or narrow hard-surface  
 58 U. S. Route 20 State Route

PERRYVILLE, TENN  
 N3530-W8800/7.5  
 1949  
 MINOR CORRECTIONS MADE 1952  
 AMS 3355 II SE--SERIES V841

MAR 23 1978  
 1850