




Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey

Control by USC&GS, USGS, and TVA

Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1946 and 1947. Field examination by TVA, 1951

Polyconic projection. 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION 1951



CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION



U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

ROAD CLASSIFICATION

- HARD-SURFACE ALL WEATHER ROADS
- DRY WEATHER ROADS
- Heavy-duty **4 LANE LANE** Improved dirt
- Medium-duty **2 LANE LANE** Unimproved dirt
- Loose-surface, graded, or narrow hard-surface
- U. S. Route
- State Route

RIVERSIDE, TENN.
N3522.5-W8730/7.5

1951

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

OCT 22 1956

2070