




Mapped and edited by Tennessee Valley Authority  
Published by the Geological Survey


Basic Control by NOS/NOAA, USGS, WPA, and TVA  
Topography by photogrammetric methods using aerial  
photographs taken 1951. Map field checked by TVA, 1952  
Polyconic projection  
10,000 foot grid based on Tennessee rectangular  
coordinate system  
1000 meter Universal Transverse Mercator grid ticks,  
zone 16, shown in blue, 1927 North American Datum  
To place on the predicted North American Datum 1983  
move the projection lines 6 meters south and  
6 meters west as shown by dashed corner ticks

Revisions shown in purple and woodland compiled by  
the Tennessee Valley Authority from aerial photographs  
taken 1976 and other source data. This information  
not field checked. Map edited 1980



CONTOUR INTERVAL 20 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219  
U.S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION (TVA 128A-SE)

Primary highway, all weather, hard surface	Light-duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather

○ Interstate Route    □ U. S. Route    ○ State Route

ROBBINS, TENN.  
N3615-W8430/7.5

1952  
PHOTOREVISED 1980  
DMA 4056 I SE-SERIES V841

FEB 20 1983  
1280