





Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Topography from aerial photographs by stereophotogrammetric methods. Aerial photographs taken 1954. Field check 1955
Polyconic projection. 1927 North American datum
10,000-foot grids based on Tennessee coordinate system, and Kentucky coordinate system, south zone
1000-metre Universal Transverse Mercator grid ticks, zone 16, shown in blue
To place on the predicted North American Datum 1983, move the projection lines 6 meters south and 5 meters west as shown by dashed corner ticks
Map photoinspected 1981
No major culture or drainage changes observed



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506
AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601
TENNESSEE DEPARTMENT OF CONSERVATION, DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

SHARP PLACE, TENN.—KY.
SE/4 PALL MALL 15' QUADRANGLE
36084-E7-TF-024
PHOTOINSPECTED 1981
1955
DMA 4057 III SE—SERIES V841

RECEIVED
MAY 31 1999
USGS NAD
HISTORICAL MAP ARCHIVES
0-2-15b-07-0-NBS1
1:1567109846