


Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey

Control by NOS/NOAA, USGS, WPA, and TVA
Topography by USGS and TVA by photogrammetric methods
Map field checked by TVA, 1946

Polyconic projection, 1927 North American datum
10,000 foot grid based on Tennessee rectangular
coordinate system
1000 meter Universal Transverse Mercator grid, zone 16
To place on the predicted North American Datum 1983
move the projection lines 6 meters south
as shown by dashed corner ticks

Revisions shown in purple and woodland compiled by
The Tennessee Valley Authority from aerial photographs
taken 1977 and other source data. This information
not field checked. Map edited 1979



SCALE 1:24 000
1 000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 KILOMETER

CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219
U.S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Heavy-duty Poor motor road
Medium-duty Wagon and jeep track
Light-duty Foot trail
U.S. Route State Route
In developed areas, only through roads are classified

SPRING HILL, TENN.
N3545-W8652.5/7.5

1946
PHOTOREVISED 1979
AMS 3655 IV SW-SERIES V84 I

USGS
Historical File
National Mapping Div.

MAR 12 1981

8050