





Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by USC&GS, USGS, and TVA
Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1947. Field examination by TVA, 1950
Polyconic projection. 1927 North American datum
10,000-foot grid based on Tennessee rectangular
coordinate system
— 376 — Indicates Kentucky Lake Easement Boundary
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue



CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242,
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902,
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENNESSEE 37219
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

ROAD CLASSIFICATION (TVA 29-NW)
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty — **LANE IS LANE** Improved dirt
Medium-duty — **LANE IS LANE** Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

STANDING ROCK, TENN.
N3622.5-W8752.5/7.5

1950
AMS 3456 IV NW—SERIES V841

2145
MAY 6 1950