



Control by US&GS, USGS, TVA, and WPA
Topography by Geological Survey from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority, 1941

Maps distributed by the Geological Survey

Scale 24000
2 Miles
2 Kilometers
10000 Feet
5000
0
5000
10000
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

Contour interval 20 feet with 10 foot contours shown by broken line
Datum is mean sea level

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION
POLYCONIC PROJECTION, 1927 NORTH AMERICAN DATUM
10,000 FOOT GRID BASED ON TENNESSEE
RECTANGULAR COORDINATE SYSTEM
5000 YARD GRID BASED ON U. S. ZONE SYSTEM, B
ROUTES USUALLY TRAVELED
HARD IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
① U.S. ROUTE ② STATE ROUTE

U.S.G.S.
FILE COPY

SWEETWATER, TENN.
131-SW
Edition of 1942
N3530-W8422.5/7.5
ENGRAVED AND PRINTED BY WILLIAMS & HEINTE CO., WASH., D. C.

JAN 9 - 1943