




Control by USC&GS, USGS, USED, and TVA
Topography by USGS and TVA from aerial photographs
by stereophotogrammetric and planimetric methods
Field examination by Tennessee Valley Authority, 1947

APPROXIMATE MEAN
DECLINATION, 1947



Contour interval 10 feet
Occasional 5 foot contours shown by broken lines
Datum is mean sea level

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
HISTORICAL FILE
TOPOGRAPHIC DIVISION

Reproduced 1964 USOCMM CSS DC 8889 522000m E.
Polyconic projection, 1927 North American datum
10,000 foot grid based on Tennessee
rectangular coordinate system
1000 meter Universal Transverse Mercator
grid ticks, Zone 16, shown in blue.
ROUTES USUALLY TRAVELED
HARD, IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U. S. ROUTE STATE ROUTE

VERONA, TENN.
64-SE

N3530-W8645/7.5
1947

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

1485
from Contour survey

SEP 24 1964