

Prepared by the Army Map Service (GUSX), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1955 from USGS and AMS quadrangles 1:24,000, 1:25,000, 1943-1952 and USCGS charts 1283, 1284 and 1007, 1940-1945. Planimetric detail revised by photogrammetric methods. Horizontal and vertical control by USGS, and USCE. Map field checked, 1956. Limited revision by U.S. Geological Survey 1964.

100,000-foot grid based on Texas coordinate system, south central zone

10,000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue

**LEGEND**

ROAD DATA 1956 PARTIALLY REVISED 1964  
 Figures in red denote approximate distances in miles between stars

**POPULATED PLACES**

Over 500,000 **LOS ANGELES**

100,000 to 500,000 **OMAHA**

25,000 to 100,000 **GALVESTON**

5,000 to 25,000 **Laramie**

1,000 to 5,000 **Grand Coulee**

Less than 1,000 **Sun Valley**

**RAILROADS**

Standard gauge — Single track Double or Multiple track

Narrow gauge — Standard gauge

**BOUNDARIES**

International — Dashed line

State — Dashed line

County — Dashed line

Park or reservation — Dashed line

Horizontal control point — Triangle with dot

Spot elevation in feet — Circle with number

**ROADS**

Hard surface, heavy duty — Solid line

More than two lanes wide — Solid line with double red dashes

Two lanes wide, Federal route marker — Solid line with red dashes

Hard surface, medium duty — Solid line with red dashes

More than two lanes wide — Solid line with red dashes

Two lanes wide, State route marker — Solid line with red dashes

Improved light duty — Solid line with red dashes

Unimproved dirt — Dashed line

**RAILROADS**

Standard gauge — Single track Double or Multiple track

Narrow gauge — Standard gauge

**BOUNDARIES**

International — Dashed line

State — Dashed line

County — Dashed line

Park or reservation — Dashed line

Horizontal control point — Triangle with dot

Spot elevation in feet — Circle with number

**Other Symbols**

Landmark: School; Church; Other — Circle with cross

Depth curve in feet — Circle with number

Limit of danger: Reef — Circle with cross

Rocks: Awash; Sunken — Circle with cross

Foreshore flat — Circle with cross

Intermittent or dry stream — Circle with cross

Marsh or swamp — Circle with cross

Approximate road alignment — Dashed line

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles


0 5 10 15 20 25 30 Kilometers

0 5 10 15 Nautical Miles

CONTOUR INTERVAL 50 FEET  
 WITH SUPPLEMENTARY CONTOURS AT 25 FOOT INTERVALS  
 TRANSVERSE MERCATOR PROJECTION

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 8°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 7°30' WESTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°00' WESTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092



USGS  
 Historical File  
 Topographic Division

BAY CITY, TEXAS  
 1956  
 LIMITED REVISION 1964

JAN 2 4 1978  
 4350