



Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1976. Field checked 1979. Map edited 1985

Projection and 10,000-foot grid ticks: Utah coordinate system, south zone (Lambert conformal conic) 1000-meter Universal Transverse Mercator grid, zone 12 1927 North American Datum

To place on the predicted North American Datum 1983 move the projection lines 5 meters north and 64 meters east as shown by dashed corner ticks

Areas covered by dashed light-blue pattern are subject to controlled inundation

Where omitted, land lines have not been established

There may be private inholdings within the boundaries of the National or State reservations shown on this map

UTM GRID AND 1985 MAGNETIC NORTH DECLINATION AT CENTER OF MAP DIAGRAM IS APPROXIMATE

1316° 240 MILS

0°02' 1 MIL

SCALE 1:24 000

CONTOUR INTERVAL 40 FEET
CONTOUR INTERVAL 80 FEET IN LAKE POWELL
NATIONAL GEODETIC VERTICAL DATUM OF 1929

UTAH

QUADRANGLE LOCATION

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road

○ Interstate Route ○ U. S. Route ○ State Route

CATHEDRAL CANYON, UTAH-ARIZ.

SE/4 CUMMINGS MESA 15' QUADRANGLE
37111-A1-TF-024

1985

DMA 3758 II SE-SERIES V897