




Mapped, edited, and published by the Geological Survey in cooperation with the Bureau of Reclamation
Control by USGS, USC&GS, and USBR
Topography by photogrammetric methods from aerial photographs taken 1964 and planetable surveys by USBR 1955 Field checked 1965
Polyconic projection. 1927 North American datum
10 000-foot grid based on Utah coordinate system, central zone
1000-meter Universal Transverse Mercator grid ticks, zone 12, shown in blue
Fine red dashed lines indicate selected fence lines



SCALE 1:24 000
CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DOTTED LINES CROSSING RIVERS REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Unimproved dirt ———
U.S. Route — State Route

RASMUSSEN HOLLOW, UTAH
N4015—W10922.5/7.5

1965
AMS 4164 IV SW—SERIES V897

2695
JUN 1 1967