



Produced by the United States Geological Survey
Derived from imagery taken 1958 and other sources. Photointerpreted using imagery taken 1997; no major culture or drainage changes observed. Public Land Survey System and survey control current as of 1964. Boundaries revised 2002.
North American Datum of 1927 (NAD 27). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 12 10 000-foot ticks: Utah Coordinate System of 1927 (south zone)
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software
There may be private inholdings within the boundaries of the National or State reservations shown on this map
Where omitted, land lines have not been established



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
(TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, ADD 4 FEET)
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	

ADJOINING 7.5' QUADRANGLES

ROAD CLASSIFICATION

Primary highway	Light-duty road, hard or
hard surface	improved surface
Secondary highway	Unimproved road
hard surface	

 Interstate Route
 U.S. Route
 State Route

HISTORICAL ARCHIVES
JUL 28 2003
RECEIVED

RED BREAKS, UT
1997
NIMA 3759 III NE-SERIES V897

USGS Library
Reston, VA.
Topo Archive

3 1818 00417881 8

41586-10908/6
9-15188-109-0 N831