




Produced by the United States Geological Survey

Control by USGS and NOS/NOAA  
Compiled from aerial photographs taken 1963. Field checked 1967  
North American Datum of 1927 (NAD 27). Projection and  
10 000-foot grid ticks: Utah Coordinate System,  
central zone (Lambert Conformal Conic)  
1000-meter Universal Transverse Mercator grid, zone 12  
The difference between NAD 27 and North American Datum of  
1983 (NAD 83) for 7.5 minute intersections is given in USGS  
Bulletin 1875. The NAD 83 is shown by dashed corner ticks  
Where omitted, land lines have not been established  
Photospctored from 1991 source; no major culture  
or drainage changes observed. Names verified 1993



CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT 5-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Light-duty Unimproved dirt

SAND PASS, UTAH  
39113-E4-TF-024

1967  
MINOR REVISION 1993  
DMA 3363 III SW-SERIES V897