


Topography by W.R.Chenoweth, J.L.Lewis, C.P.McKinley, C.A.Stonesifer, and U.S.Forest Service
Control by U.S.Geological Survey and U.S.Coast and Geodetic Survey
Surveyed in 1924-1926



INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C. 1924 R. 10 E.
Polyconic projection. To place on 1927 North American datum
move projection lines 120 feet north and 85 feet west
20,000-foot grid based on Washington (South)
rectangular coordinate system
To join Mt. Adams use dotted projection corners

ROAD CLASSIFICATION
Heavy-duty ——— 4 LANE 16 LANE Light-duty ———
Medium-duty ——— 4 LANE 16 LANE Unimproved dirt ———
U. S. Route State Route

APPROXIMATE MEAN
DECLINATION, 1926

FOR SALE BY U.S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D.C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

STEAMBOAT MTN. WASH.
N4600-W12130/30
USGS
Historical File
Topographic Division
1926