



Mapped, edited, and published by the Geological Survey

Control by USGS, NOS/NOAA, and U.S. Bureau of Reclamation
Topography by photogrammetric methods from aerial photographs taken 1965. Field checked 1969.
Selected hydrographic data compiled from NOS/NOAA chart 18553 (1968). This information is not intended for navigational purposes.
Polyconic projection. 1927 North American Datum 10,000-foot grid based on Washington coordinate system, north zone. 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks



SCALE 1:24,000
CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS NORMAL POOL ELEVATION 1289 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Primary highway, all weather, hard surface
Secondary highway, all weather, hard surface
Light duty road, all weather, improved surface
Unimproved road, fair or dry weather
State Route
There may be private inholdings within the boundaries of the National or State reservations shown on this map



BOSSBURG, WASH.
48118-G1-TF-024
1969
DMA 2381 1 SE-SERIES V891