



Mapped by U. S. Coast & Geodetic Survey
Edited and published by the Geological Survey
Control by USC&GS

Topography from aerial photographs by multiplex methods
Aerial photographs taken 1949. Field check 1954

Hydrography compiled from USC&GS charts 6376 (1951),
6378 (1954) and surveys H-1815 (1887) and H-6654 (1940)

Polyconic projection. 1927 North American datum
10,000-foot grid based on Washington coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 10, shown in blue

Dashed land lines indicate approximate locations
Unchecked elevations are shown in brown

SCALE 1:24000

CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt ———

U. S. Route —○— State Route —○—

WASHINGTON
QUADRANGLE LOCATION

BOW, WASH.
SW/4 SAMISH LAKE 15' QUADRANGLE
N4830—W12222.5/7.5

1954

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

AUG -7 1958

2390