

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS



Topography by photogrammetric methods from aerial photographs taken 1965 and planetable surveys 1968

Polyconic projection. 1927 North American datum 10,000-foot grid based on Washington coordinate system, north zone

1000-metre Universal Transverse Mercator grid ticks, zone 11, shown in blue

Fine red dashed lines indicate selected fence lines

Areas covered by dashed light-blue pattern are subject to controlled inundation



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROAD CLASSIFICATION

Primary highway, all weather, hard surface	Light-duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather
	State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CUSICK, WASH.
N4815-W11715/7.5

USGS
Historical File
Topographic Division

MAY 19 1976

2880 IV NW (TACOMA PEAK)

2880 I NW (BROWN LAKE)

BOYER (PTN) 2880 IV NW

DIAMOND LAKE