


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LYLE QUADRANGLE
WASHINGTON—OREGON
7.5 MINUTE SERIES (TOPOGRAPHIC)



Mapped, edited, and published by the Geological Survey
Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs
taken 1973. Field checked 1974. Map edited 1978
Selected hydrographic data compiled from NOS/NOAA chart
18531 (1973). This information is not intended for navigational purposes
Projection: Oregon coordinate system, north zone
(Lambert conformal conic)
10,000-foot grid ticks based on Oregon coordinate system,
north zone and Washington coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks, zone 10,
shown in blue
The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5 minute intersections is
given in USGS Bulletin 1875. The NAD 83 is shown by dashed
corner ticks

UTM GRID AND 1978 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET
1°12' 21 MILS
364 MILS
34 MILS

SCALE 1:24 000
1 0000 2000 3000 4000 5000 6000 7000 FEET
1 KILOMETER
CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS BONNEVILLE NORMAL POOL ELEVATION 72 FEET
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST
Where omitted, land lines have not been established
Areas covered by light-blue pattern are subjected to controlled
inundation to 82 feet
There may be private holdings within the boundaries of the
National or State reservations shown on this map



ROAD CLASSIFICATION
Primary highway, hard surface
Secondary highway, hard surface
Light-duty road, hard or improved surface
Unimproved road
Interstate Route
U. S. Route
State Route
LYLE, WASH.—OREG.
45121-F3-TF-024
1978
DMA 1775 III NE-SERIES V892

