



Mapped by the U. S. Coast and Geodetic Survey  
Edited and published by the Geological Survey  
Control by USC&GS

Topography from aerial photographs by photogrammetric methods  
Aerial photographs taken 1950. Field check 1957  
Hydrography compiled from USC&GS chart 6185 (1957)

Polyconic projection. 1927 North American datum  
10,000-foot grid based on Washington coordinate system, south zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 10, shown in blue

To place on the predicted North American Datum 1983  
move the projection lines 24 meters north and  
97 meters east as shown by dashed corner ticks  
There may be private inholdings within the boundaries of  
the National or State reservations shown on this map



CONTOUR INTERVAL 40 FEET  
DOTTED LINES REPRESENT 20-FOOT CONTOURS  
NATIONAL GEODETTIC VERTICAL DATUM OF 1929  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 8 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Medium-duty ——— Light-duty ———  
Unimproved dirt ———  
U. S. Route ——— State Route ———

NEMAH, WASH.  
SW/4 SOUTH BEND 15' QUADRANGLE  
N4630—W12352.5/7.5

1957  
PHOTOINSPECTED 1973  
DMA 1277 III SW—SERIES V891