



Mapped by U. S. Coast and Geodetic Survey
Edited and published by the Geological Survey

Control by USC&GS



Topography from aerial photographs by multiplex methods
Aerial photographs taken 1950 and 1951. Field check 1955

Hydrography compiled from USC&GS hydrographic surveys (1955-1956)

Dashed shoreline subject to continual change

Polygonic projection. 1927 North American datum
10,000-foot grid based on Washington coordinate system, south zone
1000-meter Universal Transverse Mercator grid ticks,
zone 10, shown in blue

Dashed land lines indicate approximate locations



CONTOUR INTERVAL 20 FEET

DATUM IS MEAN SEA LEVEL

DEPTH CURVES IN FEET—DATUM IS MEAN LOWER LOW WATER

SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER

THE MEAN RANGE OF TIDE IS APPROXIMATELY 6 FEET IN THE PACIFIC OCEAN
AND 7 FEET IN GRAYS HARBOR



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Light-duty ————— Unimproved dirt - - - - -

POINT BROWN, WASH.

NW/4 GRAYLAND 15' QUADRANGLE
N4652.5—W12407.5/7.5

USGS
Historical File
Topographic Division

1955

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

JAN 20 1955

1910